## **ENTAGREC:** An Enhanced Tag Recommendation System for Software Information Sites


Shaowei Wang, David Lo, Bogdan Vasilescu, Alexander Serebrenik @b\_vasilescu @aserebrenik



Technische Universiteit **Eindhoven** University of Technology

Where innovation starts

TU



#### Tags

at least one tag such as (c++ ios linux), max 5 tags



/ department of mathematics and computer science



Questions Tags

| Title  | What's your programming question? Be specific.                |  |  |  |  |  |  |
|--|---|--|--|--|--|--|--|
|  |   |  |  |  |  |  |  |
| <b>B</b> <i>I</i>  | 🚳 ፋ {} 🔳 📷 👌 🗄 🗮 🚍 👘 🗠 🧧 🤶                                    |  |  |  |  |  |  |
| I have   | Java daemon which I want to pass shell commands. For example: |  |  |  |  |  |  |
| daemon load configuration.xml  |   |  |  |  |  |  |  |
| Is this possible to do this?   |   |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |
| I have Java daemon which I want to pass shell commands. For example: |   |  |  |  |  |  |  |
| daemon load configuration.xml  |   |  |  |  |  |  |  |

Is this possible to do this?

Tags

ja

#### java × 715641

Java is a general-purpose programming language designed to be used in conjunction with the Java Virtual Machine (JVM). "Java platform" is the name for a

#### javascript × 700297

JavaScript (not to be confused with Java) is a dynamically-typed language commonly used for client-side scripting. Use this tag for questions regarding

#### arrays × 103776

An array is an ordered data structure consisting of a collection of elements (values or variables), each identified by one (single dimensional array, or vector)





#### Java daemon execute commands



I have Java daemon which I want to pass shell commands. For example:



Is this possible to do this?



java







Badges

#### Java daemon execute commands



I have Java daemon which I want to pass shell commands. For example:




Is this possible to do this?

share edit flag

java





about »



about » shell

> ische Universiteit loven ersity of Technology



Questions Tags Users Badges Unanswered

#### Q: Synonimize [.net-micro-framework] and [netmf] tags

I have noticed that there exist both .net-micro-framework and netmf tags which refer to the same .NET Micro Framework technology. I suggest to make netmf synonim of .net-micro-framework. That would help to have all questions related to it under same tag. ...



asked jul 11 '13 by anderZubi

#### Q: Please merge [log] and [logs] into [logging] [closed]

Currently on Stack Overflow there are: **log** (720 questions) **logs** (195 questions) **logging** (4196 questions) I don't have the reputation to synonimize **log** and **logs** into **logging**, but I think they should be **merged**. ...



stackoverflow (tag-synonyms

s)(retag-request

asked oct 4 '11 by Endy Tjahjono



18/02/15

Page 6

ja

#### java × 715183

Java is a general-purpose programming language designed to be used in conjunction with the Java Virtual Machine (JVM). "Java platform" is the name for a computing system that has installed tools for developing and running Java programs. Use this tag for questions referring to Java programming language or Java platform tools.

also:.java, core-java, java-se

#### javascript × 699829

JavaScript (not to be confused with Java) is a dynamically-typed language commonly used for client-side scripting. Use this tag for questions regarding ECMAScript and its various dialects/implementations (excluding ActionScript). Unless a tag for a framework/library is also included, a pure JavaScript answer is expected.

also:classic-javascript, javascript-alert, javascript-dom

#### arrays × 103684

An array is an ordered data structure consisting of a collection of elements (values or variables), each identified by one (single dimensional array, or vector) or multiple indexes.


also:javascript-array







/ department of mathematics and computer science



#### B I 🧠 44 {} ■ 🗹 👌 Ξ Ξ Ξ 👘 🗠

I have Java daemon which I want to pass shell commands. For example:

daemon load configuration.xml

Is this possible to do this?

**ENTAGREC** 

Unanswered

I have Java daemon which I want to pass shell commands. For example:

daemon load configuration.xml

Is this possible to do this?

Tags

ja

#### **ja**va × 715641


Java is a general-purpose programming language designed to be used in conjunction with the Java Virtual Machine (JVM). "Java platform" is the name for a

#### javascript × 700297


JavaScript (not to be confused with Java) is a dynamically-typed language commonly used for client-side scripting. Use this tag for questions regarding


#### arrays × 103776


An array is an ordered data structure consisting of a collection of elements (values or variables), each identified by one (single dimensional array, or vector) Technische Universiteit Eindhoven University of Technology




|   |     | ENTAGREC | TAGCOMBINE |  |  |  |  |
|---|-----|----------|------------|--|--|--|--|
|   | r@5 | 0.805    | 0.595      |  |  |  |  |
| stack overflow                                    | p@5 | 0.346    | 0.221      |  |  |  |  |
|   | r@5 | 0.815    | 0.568      |  |  |  |  |
| ask ubuntu@                                       | p@5 | 0.358    | 0.251      |  |  |  |  |
| <b>Ask</b> Different                              | r@5 | 0.88     | 0.675      |  |  |  |  |
| Ask Different<br>Answers for your Apple questions | p@5 | 0.369    | 0.278      |  |  |  |  |
|   | r@5 | 0.64     | 0.639      |  |  |  |  |
| free( <b>code</b> ):                              | p@5 | 0.382    | 0.381      |  |  |  |  |
|   |     | I        |            |  |  |  |  |










I have Java daemon which I want to pass shell commands. For example...




## Actually (preprocessing...)



Java daemon want pass shell command exampl daemon load configur possibl




# Tags = nouns (phrases)



Java daemon want pass shell command exampl daemon load configur possibl



/ department of mathematics and computer science






## Combine to get P for the entire text



/ department of mathematics and computer science




## Supercalifragilisticexpialidocious



/ department of mathematics and computer science


## Supercalifragilisticexpialidocious



18/02/15

Page 20

/ department of mathematics and computer science





#### • is better than **BIC** and **FIC** separately

|   |     | ENTAGREC | BIC   | FIC   |
|---|-----|----------|-------|-------|
|   | r@5 | 0.805    | 0.565 | 0.593 |
| stack overflow                                    | p@5 | 0.346    | 0.232 | 0.258 |
| ask ubuntu@                                       | r@5 | 0.815    | 0.505 | 0.637 |
| ask ubuntu  | p@5 | 0.358    | 0.212 | 0.282 |
| <b>Ask</b> Different                              | r@5 | 0.88     | 0.523 | 0.713 |
| Ask Different<br>Answers for your Apple questions | p@5 | 0.369    | 0.212 | 0.298 |
|   | r@5 | 0.64     | 0.391 | 0.545 |
| free( <b>code</b> ):                              | p@5 | 0.382    | 0.230 | 0.322 |



- is better than BIC and FIC separately
- is better than TAGCOMBINE

#### How do I add existing comments to RDoc in Ruby?

I've got all these comments that I want to make into 'RDoc comments', so they can be formatted appropriately and viewed using ri. Can anyone get me started on understanding how to use RDoc?





add comment





# So, what was all this about?



0 0



I have Java daemon which I want to pass shell commands. For example: daemon load configuration.xml Is this possible to do this? **ENTAGREC** I have Java daemon which I want to pass shell commands. For example: daemon load configuration.xml Is this possible to do this? Tags ja java × 715641 Eindhoven

Java is a general-purpose programming language designed to be used in conjunction with the Java Virtual Machine (JVM). "Java platform" is the name for a

B

1

💊 66 {} 🔳 📝

#### javascript × 700297

∃ ∃ **≣** 

≞

JavaScript (not to be confused with Java) is a dynamically-typed language commonly used for client-side scripting. Use this tag for questions regarding

arrays × 103776

An array is an ordered data structure consisting of a collection of elements (values or variables), each identified by one (single dimensional array, or vector)







